

Selected Bibliography for **Swaddling of Infants: Uses, Misuses, and Myths**

January 2011

Linda J. Smith

- [From swaddling clothes to disposable diapers]. *Krankenpfl Soins Infirm*. Nov 1991;84(11):17-19.
- Abdulrazzaq YM, Al Kendi A, Nagelkerke N. Soothing methods used to calm a baby in an Arab country. *Acta Paediatr*. Feb 2009;98(2):392-396.
- Abdulrazzaq YM, Kendi AA, Nagelkerke N. Child care practice in the United Arab Emirates: the ESACCIPS study. *Acta Paediatr*. May 2008;97(5):590-595.
- Akman A, Korkmaz A, Aksoy MC, Yazici M, Yurdakok M, Tekinalp G. Evaluation of risk factors in developmental dysplasia of the hip: results of infantile hip ultrasonography. *Turk J Pediatr*. Jul-Sep 2007;49(3):290-294.
- Ayaz S, Efe SY. Potentially harmful traditional practices during pregnancy and postpartum. *Eur J Contracept Reprod Health Care*. Sep 2008;13(3):282-288.
- Bacalexii D. [Female responsibilities: midwives, nurses and mothers in the works of some antique and Renaissance physicians]. *Gesnerus*. 2005;62(1-2):5-32.
- Bacon CJ, Bell SA, Clulow EE, Beattie AB. How mothers keep their babies warm. *Arch Dis Child*. May 1991;66(5):627-632.
- Beal S, Porter C. Sudden infant death syndrome related to climate. *Acta Paediatr Scand*. Mar 1991;80(3):278-287.
- **Blair PS, Sidebotham P, Evason-Coombe C, Edmonds M, Heckstall-Smith EM, Fleming P. Hazardous cosleeping environments and risk factors amenable to change: case-control study of SIDS in south west England. *Bmj*. 2009;339:b3666.**
- Blauer T, Gerstmann D. A simultaneous comparison of three neonatal pain scales during common NICU procedures. *Clin J Pain*. Mar 1998;14(1):39-47.
- Bloch A. The Kurdistanian cradle story. A modern analysis of this centuries-old infant swaddling practice. *Clin Pediatr (Phila)*. Oct 1966;5(10):641-645.
- Blom MA, van Sleuwen BE, de Vries H, Engelberts AC, L'Hoir M P. Health care interventions for excessive crying in infants: regularity with and without swaddling. *J Child Health Care*. Jun 2009;13(2):161-176.
- Bornstein A. The young child in Yemen. *Carnets Enfance*. 1974;28:29-42.
- Bystrova K, Ivanova V, Edhborg M, et al. Early contact versus separation: effects on mother-infant interaction one year later. *Birth*. Jun 2009;36(2):97-109.
- **Bystrova K, Matthiesen AS, Widstrom AM, et al. The effect of Russian Maternity Home routines on breastfeeding and neonatal weight loss with special reference to swaddling. *Early Hum Dev*. Jan 2007;83(1):29-39.**
- Caglayan S, Yaprak I, Seckin E, Kansoy S, Aydinlioglu H. A different approach to sleep problems of infancy: swaddling above the waist. *Turk J Pediatr*. Apr-Jun 1991;33(2):117-120.
- Caiola E. Swaddling young infants can decrease crying time. *J Pediatr*. Mar 2007;150(3):320-321.
- Campos RG. Soothing pain-elicited distress in infants with swaddling and pacifiers. *Child Dev*. Aug 1989;60(4):781-792.
- Chisholm JS. Swaddling, cradleboards and the development of children. *Early Hum Dev*. Sep 1978;2(3):255-275.
- Cignacco E, Hamers JP, Stoffel L, et al. The efficacy of non-pharmacological interventions in the management of procedural pain in preterm and term neonates. A systematic literature review. *Eur J Pain*. Feb 2007;11(2):139-152.
- Cohen LL. Behavioral approaches to anxiety and pain management for pediatric venous access. *Pediatrics*. Nov 2008;122 Suppl 3:S134-139.
- Curran WJ. Law-medicine notes. An enigma wrapped in swaddling clothes. Congress and "crib death". *N Engl J Med*. Aug 3 1972;287(5):235-237.
- Dogruel H, Atalar H, Yavuz OY, Sayli U. Clinical examination versus ultrasonography in detecting developmental dysplasia of the hip. *Int Orthop*. Jun 2008;32(3):415-419.
- Dumont M. [Gynecology and obstetrics in the Bible. I. From procreation to pregnancy]. *J Gynecol Obstet Biol Reprod (Paris)*. 1990;19(1):9-17.

- Dumont M. [Gynecology and obstetrics in the Bible. II. Labor and the puerperium]. *J Gynecol Obstet Biol Reprod (Paris)*. 1990;19(2):145-153.
- Fearon I, Kisilevsky BS, Hains SM, Muir DW, Tranmer J. Swaddling after heel lance: age-specific effects on behavioral recovery in preterm infants. *J Dev Behav Pediatr*. Aug 1997;18(4):222-232.
- Field T, Hernandez-Reif M, Feijo L, Freedman J. Prenatal, perinatal and neonatal stimulation: a survey of neonatal nurseries. *Infant Behav Dev*. Jan 2006;29(1):24-31.
- Franco P, Scaillet S, Groswasser J, Kahn A. Increased cardiac autonomic responses to auditory challenges in swaddled infants. *Sleep*. Dec 15 2004;27(8):1527-1532.
- **Franco P, Seret N, Van Hees JN, Scaillet S, Groswasser J, Kahn A. Influence of swaddling on sleep and arousal characteristics of healthy infants. *Pediatrics*. May 2005;115(5):1307-1311.**
- Gerard CM, Harris KA, Thach BT. Physiologic studies on swaddling: an ancient child care practice, which may promote the supine position for infant sleep. *J Pediatr*. Sep 2002;141(3):398-403.
- **Gerard CM, Harris KA, Thach BT. Spontaneous arousals in supine infants while swaddled and unswaddled during rapid eye movement and quiet sleep. *Pediatrics*. Dec 2002;110(6):e70.**
- Geyer J, Ellsbury D, Kleiber C, Litwiller D, Hinton A, Yankowitz J. An evidence-based multidisciplinary protocol for neonatal circumcision pain management. *J Obstet Gynecol Neonatal Nurs*. Jul-Aug 2002;31(4):403-410.
- Golianu B, Krane E, Seybold J, Almgren C, Anand KJ. Non-pharmacological techniques for pain management in neonates. *Semin Perinatol*. Oct 2007;31(5):318-322.
- Gombojav N, Manaseki-Holland S, Pollock J, Henderson AJ. The effects of social variables on symptom recognition and medical care seeking behaviour for acute respiratory infections in infants in urban Mongolia. *Arch Dis Child*. Nov 2009;94(11):849-854.
- Grigor'eva LV, Erusalimskaja LF. [Sanitary-index significance of enterococci in the study of household articles]. *Zh Mikrobiol Epidemiol Immunobiol*. Feb 1976(2):114-116.
- Hall MC. The Velpeau bandage. *Can Med Assoc J*. Jan 12 1963;88:92-93.
- Hawkins DG. An enigma in swaddling clothes: pastoral response to sudden infant death. *Bull Am Protestant Hosp Assoc*. 1977;41(2):83-86.
- Hawkins DG. Enigma in swaddling clothes: sudden infant death syndrome. *Health Soc Work*. Nov 1980;5(4):21-27.
- Hohenauer L. [Commentary on the paper by Christina Klausning on "Swaddling of children in transient camps"]. *Kinderkrankenschwester*. Jan 1992;11(1):9.
- Holland BM, Bates AR, Gray OP, Pearson JF, Wardrop CA. New insulating material in maintenance of body temperature. *Arch Dis Child*. Jan 1985;60(1):47-50.
- Huang CM, Tung WS, Kuo LL, Ying-Ju C. Comparison of pain responses of premature infants to the heelstick between containment and swaddling. *J Nurs Res*. Mar 2004;12(1):31-40.
- Husain SN, King EC, Young JL, Sarwark JF. Remodeling of birth fractures of the humeral diaphysis. *J Pediatr Orthop*. Jan-Feb 2008;28(1):10-13.
- Karp H. Swaddling and excessive crying. *J Pediatr*. Jul 2007;151(1):e2-3; author reply e3.
- Karp HN. Safe swaddling and healthy hips: don't toss the baby out with the bathwater. *Pediatrics*. May 2008;121(5):1075-1076; author reply 1077.
- Kennell JH, McGrath SK. Beneficial effects of postnatal skin-to-skin contact. *Acta Paediatr*. 2003;92(3):272-273.
- Klausning C. [Pediatric nurse in a transit camp--at the same time a contribution to swaddling]. *Kinderkrankenschwester*. Jan 1992;11(1):7-8.
- Kremli MK, Alshahid AH, Khoshhal KI, Zamzam MM. The pattern of developmental dysplasia of the hip. *Saudi Med J*. Oct 2003;24(10):1118-1120.
- Kutlu A, Memik R, Mutlu M, Kutlu R, Arslan A. Congenital dislocation of the hip and its relation to swaddling used in Turkey. *J Pediatr Orthop*. Sep-Oct 1992;12(5):598-602.
- Leick-Rude MK, Bloom LF. A comparison of temperature-taking methods in neonates. *Neonatal Netw*. Aug 1998;17(5):21-37.
- Lester BM, Boukydis CF, LaGasse L. Cardiorespiratory reactivity during the Brazelton Scale in term and preterm infants. *J Pediatr Psychol*. Dec 1996;21(6):771-783.

- Levine J. Dilemma in swaddling clothes: surrogate mothers, natural fathers, and Baby M. *Harpers (N Y N Y)*. Apr 1987;274(1643):47-48.
- Lewis ME. Life and death in a civitas capital: metabolic disease and trauma in the children from late Roman Dorchester, Dorset. *Am J Phys Anthropol*. Jul 2010;142(3):405-416.
- Li Y, Liu J, Liu F, Guo G, Anme T, Ushijima H. Maternal child-rearing behaviors and correlates in rural minority areas of Yunnan, China. *J Dev Behav Pediatr*. Apr 2000;21(2):114-122.
- Li Y, Shi A, Wan Y, Hotta M, Ushijima H. Child behavior problems: prevalence and correlates in rural minority areas of China. *Pediatr Int*. Dec 2001;43(6):651-661.
- Lipton EL, Steinschneider A, Richmond JB. SWADDLING, A CHILD CARE PRACTICE: HISTORICAL, CULTURAL AND EXPERIMENTAL OBSERVATIONS. *Pediatrics*. Mar 1965;35:SUPPL:519-567.
- **Long T. Adding swaddling to behaviour modification in infant care did not reduce excessive crying in healthy infants <13 weeks of age at randomisation. *Evid Based Nurs*. Apr 2007;10(2):42.**
- Losacco V, Cuttini M, Greisen G, et al. Heel blood sampling in European neonatal intensive care units: compliance with pain management guidelines. *Arch Dis Child*. Aug 24 2010.
- Mahan ST, Kasser JR. Does swaddling influence developmental dysplasia of the hip? *Pediatrics*. Jan 2008;121(1):177-178.
- Manaseki S. Mongolia: a health system in transition. *Bmj*. Dec 18-25 1993;307(6919):1609-1611.
- Masataka N. [On the function of swaddling as traditional infant-care practiced by Native South Americans]. *Shinrigaku Kenkyu*. Oct 1996;67(4):285-291.
- McRury JM, Zolotor AJ. A randomized, controlled trial of a behavioral intervention to reduce crying among infants. *J Am Board Fam Med*. May-Jun 2010;23(3):315-322.
- Meyer MP. Swaddling and heat loss. *Arch Dis Child Fetal Neonatal Ed*. May 2003;88(3):F256.
- Mitchell A, Brooks S, Roane D. The premature infant and painful procedures. *Pain Manag Nurs*. Jun 2000;1(2):58-65.
- Moss J, Solomons HC. Swaddling then, there and now: historical, anthropological and current practices. *Matern Child Nurs J*. Fall 1979;8(3):137-151.
- Narangerel G, Pollock J, Manaseki-Holland S, Henderson J. The effects of swaddling on oxygen saturation and respiratory rate of healthy infants in Mongolia. *Acta Paediatr*. Feb 2007;96(2):261-265.
- Nelson EA, Schiefenhoevel W, Haimerl F. Child care practices in nonindustrialized societies. *Pediatrics*. Jun 2000;105(6):E75.
- **Neu M, Browne JV. Infant physiologic and behavioral organization during swaddled versus unswaddled weighing. *J Perinatol*. May-Jun 1997;17(3):193-198.**
- Newerla GJ. Notes on the bambino of the American Academy of Pediatrics, and on swaddling. *Clin Pediatr (Phila)*. Oct 1968;7(10):630-631.
- Ofoegbu BN, Playfor SD. The use of physical restraints on paediatric intensive care units. *Paediatr Anaesth*. May 2005;15(5):407-411.
- Ohgi S, Akiyama T, Arisawa K, Shigemori K. Randomised controlled trial of swaddling versus massage in the management of excessive crying in infants with cerebral injuries. *Arch Dis Child*. Mar 2004;89(3):212-216.
- Owen L. Swaddling and CDH. *Pediatr Nurs*. Mar-Apr 1983;9(2):143.
- Ponsonby AL, Dwyer T, Gibbons LE, Cochrane JA, Wang YG. Factors potentiating the risk of sudden infant death syndrome associated with the prone position. *N Engl J Med*. Aug 5 1993;329(6):377-382.
- Pozniak AP. [The loose swaddling of newborn infants employed in the maternity homes of Moscow.]. *Sov Zdravookhr*. 1960;19(6):33-35.
- Prasopkittikun T, Tilokskulchai F. Management of pain from heel stick in neonates: an analysis of research conducted in Thailand. *J Perinat Neonatal Nurs*. Oct-Nov 2003;17(4):304-312.
- Reisetbauer E. [Away with swaddling cloths and baby pillows]. *Osterr Hebammenztg*. Dec 1969;16(12):157-162.
- Reisetbauer E. [Physiological and functional viewpoints on the swaddling technic in newborn and young infants]. *Wien Med Wochenschr*. Nov 19 1966;116(47):1023-1028.
- Renfrew MJ, Lang S, Martin L, Woolridge M. Interventions for influencing sleep patterns in exclusively breastfed infants. *Cochrane Database Syst Rev*. 2000(2):CD000113.

- Richards M. Swaddling and congenital dislocation of the hip. *Br Med J*. Sep 30 1978;2(6142):956.
- Richardson HL, Walker AM, Horne RS. Influence of swaddling experience on spontaneous arousal patterns and autonomic control in sleeping infants. *J Pediatr*. Jul 2010;157(1):85-91.
- **Richardson HL, Walker AM, Horne RS. Minimizing the Risks of Sudden Infant Death Syndrome: To Swaddle or Not to Swaddle? *J Pediatr*. Jun 19 2009.**
- Romanko MV, Brost BA. Swaddling: an effective invention for pacifying infants. *Pediatr Nurs*. Jul-Aug 1982;8(4):259-261.
- Sahin F, Akturk A, Beyazova U, et al. Screening for developmental dysplasia of the hip: results of a 7-year follow-up study. *Pediatr Int*. Apr 2004;46(2):162-166.
- Saylor C, Lippa B, Lee G. Drug-exposed infants at home: strategies and supports. *Public Health Nurs*. Mar 1991;8(1):33-38.
- Scott RB. Some Turkish women's attitudes towards swaddling. *Turk J Pediatr*. Apr 1967;9(2):71-75.
- Shah PS, Aliwalas LI, Shah V. Breastfeeding or breast milk for procedural pain in neonates. *Cochrane Database Syst Rev*. 2006;3:CD004950.
- Short MA, Brooks-Brunn JA, Reeves DS, Yeager J, Thorpe JA. The effects of swaddling versus standard positioning on neuromuscular development in very low birth weight infants. *Neonatal Netw*. Jun 1996;15(4):25-31.
- Short MA. A comparison of temperature in VLBW infants swaddled versus unswaddled in a double-walled incubator in skin control mode. *Neonatal Netw*. Apr 1998;17(3):25-31.
- Shrader MW. Proximal humerus and humeral shaft fractures in children. *Hand Clin*. Nov 2007;23(4):431-435, vi.
- Simic S, Vukasinovic Z, Samardzic J, et al. Does the gestation age of newborn babies influence the ultrasonic assessment of hip condition? *Srp Arh Celok Lek*. Jul-Aug 2009;137(7-8):402-408.
- Smith MA. Swaddling and congenital dislocation of the hip. *Br Med J*. Aug 19 1978;2(6136):569.
- Stahl A. Swaddling: its disappearance as an illustration of the process of cultural change. *Korot*. Aug 1983;8(7-8):285-298.
- Stein HF. The Slovak-American "swaddling ethos": homeostat for family dynamics and cultural continuity. *Fam Process*. Mar 1978;17(1):31-45.
- Stein MT, Gorski P, Vaucher Y, Kettel FR. "What can I do to enhance the development of a premature infant with chronic lung disease?". *J Dev Behav Pediatr*. Apr 2000;21(2):136-140.
- Stevens B, Yamada J, Beyene J, et al. Consistent management of repeated procedural pain with sucrose in preterm neonates: Is it effective and safe for repeated use over time? *Clin J Pain*. Nov-Dec 2005;21(6):543-548.
- Swaddling: an option to encourage "back to sleep"? *Child Health Alert*. Nov 2002;20:4-5.
- Symington A, Pinelli J. Developmental care for promoting development and preventing morbidity in preterm infants. *Cochrane Database Syst Rev*. 2006(2):CD001814.
- **Thach BT. Does swaddling decrease or increase the risk for sudden infant death syndrome? *J Pediatr*. Oct 2009;155(4):461-462.**
- Tourula M, Isola A, Hassi J, Bloigu R, Rintamaki H. Infants sleeping outdoors in a northern winter climate: skin temperature and duration of sleep. *Acta Paediatr*. Apr 1 2010.
- Tronick EZ, Thomas RB, Daltabuit M. The Quechua manta pouch: a caretaking practice for buffering the Peruvian infant against the multiple stressors of high altitude. *Child Dev*. Aug 1994;65(4):1005-1013.
- Tsao JC, Evans S, Meldrum M, Altman T, Zeltzer LK. A Review of CAM for Procedural Pain in Infancy: Part II. Other Interventions. *Evid Based Complement Alternat Med*. Dec 2008;5(4):399-407.
- Urnaa V, Kizuki M, Nakamura K, et al. Association of swaddling, rickets onset and bone properties in children in Ulaanbaatar, Mongolia. *Public Health*. Sep 2006;120(9):834-840.
- Vagnarelli F, Amarri S, Scaravelli G, Pellegrini M, Garcia-Algar O, Pichini S. TDM grand rounds: neonatal nicotine withdrawal syndrome in an infant prenatally and postnatally exposed to heavy cigarette smoke. *Ther Drug Monit*. Oct 2006;28(5):585-588.
- van Gestel JP, L'Hoir MP, ten Berge M, Jansen NJ, Plotz FB. Risks of ancient practices in modern times. *Pediatrics*. Dec 2002;110(6):e78.

- van Sleuwen BE, Engelberts AC, Boere-Boonekamp MM, Kuis W, Schulpden TW, L'Hoir MP. Swaddling: a systematic review. *Pediatrics*. Oct 2007;120(4):e1097-1106.
- van Sleuwen BE, L'Hoir M P, Engelberts AC, et al. Comparison of behavior modification with and without swaddling as interventions for excessive crying. *J Pediatr*. Oct 2006;149(4):512-517.
- van Sleuwen BE, L'Hoir MP, Engelberts AC, Westers P, Schulpden TW. Infant care practices related to cot death in Turkish and Moroccan families in the Netherlands. *Arch Dis Child*. Sep 2003;88(9):784-788.
- Ward-Larson C, Horn RA, Gosnell F. The efficacy of facilitated tucking for relieving procedural pain of endotracheal suctioning in very low birthweight infants. *MCN Am J Matern Child Nurs*. May-Jun 2004;29(3):151-156; quiz 157-158.
- Wilson CE. Cree infant care practices and sudden infant death syndrome. *Can J Public Health*. Mar-Apr 2000;91(2):133-136.
- Woodward L, Sheridan-Pereira M, Dempsey EM. Management of acute procedural pain in the neonatal intensive care unit (NICU). *Ir Med J*. Oct 2008;101(9):279-281.
- Yamada J, Stinson J, Lamba J, Dickson A, McGrath PJ, Stevens B. A review of systematic reviews on pain interventions in hospitalized infants. *Pain Res Manag*. Sep-Oct 2008;13(5):413-420.
- Yoshida Y, Kajihara Y, Iwaki K, et al. [Childcare and home education in families of female nurses in the People's Republic of China--survey of 15 hospitals in 5 areas]. *Nippon Koshu Eisei Zasshi*. Jun 2001;48(6):470-479.
- Yurdakok K, Yavuz T, Taylor CE. Swaddling and acute respiratory infections. *Am J Public Health*. Jul 1990;80(7):873-875.